NON-PRO:IDIOM HOSPITALITY TELEVISION

BE SERIES



BE SERIES

A Full line of Non-Pro:Idiom Televisions

The RCA Commercial Value (BE) Series is the entry level line to Commercial Televisions. Designed to withstand long operating hours that business' require, the BE Series has built in thermal characteristics for proper heat dispersion, unlike consumer competitors, to keep the TV operating safely for an extended period. Features including the Anti-Theft swivel with lockdown plate, secure the TV to furniture to deter unauthorized movement of the TV. The 'Scheduler' feature allows the operator to set an ON and OFF time for each television, ideal for lobby or digital signage use.

Accessories

Guest Remote



Master Remote



Anti-Theft Swivel Stand



SIZES | MODEL



BE Series Bezel. Bezels vary based on model.					
22"	J22BE1220				
28"	J28BE929				
32"	J32BE1220				
40"	J40BE1220				
43"	J43BE929				
50"	J50BE1220				

55" J55BE1220



FEATURES



















Auto Channel

^{*} Master remote R230D2, not included in standard TV box. Contact RCA to order.

SPECIFICATIONS

Model	J22BE12	220	J28BE929		J32BE1220	J40BE1	220			
Video				•						
Screen Size (Diagonal)	21.75"		27.6"		32.32"	40.24	,"			
Resolution	1920 x 1080 (HD)									
Digital Rights Management	None									
Туре	Direct-Lit LED									
Brightness (Typical)		200 cd/m ² 220 cd/m								
Response Time (Typical)	8 ms					8.5 m	IS			
Viewing Angle	178° x 178° 176° x 176°									
Frame Rate		60 Hz								
Tuners	NTSC/ATSC/Clear QAM Tuner									
Video Decoding	MPEG-2/H.264									
UPC	811635022	233	811635021427		811635023223	811635023513				
Audio Audio Output / Speaker	3/W ± 3/W /	201	0	W + 8W / 2CH		10W ± 10W	1 / 2CH			
Sound Modes	344 + 344 /	3W + 3W / 2CH 8W + 8W / 2CH 10W + 10W / 2					7 ZGH			
	6 Modes (Standard, Music, Movie, Sports, News, Manual)									
Dolby Digital Decoder™ Volume Limiter Feature	Yes									
volume Limiter reature				Yes						
Power										
Typical (Watts)	< 22 W		< 45 W		< 33 W	< 75 W				
Standby (Watts)				< 1 W						
Power Supply			AC 1	00V - 240V, 60	Hz					
Power Cable (Detachable)	49.5"		48"		53"	60"				
Dimensions										
VESA (sizes in mm)		100 × 100			200 × 100	200 × 200				
VESA™ Screw Size				M4		M6				
Stand Type		Anti-Theft Swivel Stand								
TV (W× H× D)	20" x 11.75"	20" x 11.75" x 3" 24.6" x 15.			81" x 17.07" x 1.93"	36.60" x 21.65" x 3.25"				
TV & Stand (W× H× D)	20" x 13.75"		24.6" x 17.5" x 7.08		81" x 17.07" x 7.09"	36.60" x 23.75" x 7.75"				
Weight (lbs.)	5.2 lbs				10.98 lbs	14.61 lbs				
Shipping Size (W×H×D)	23" x 16" x	5.5"	28.75" x 20.5" x 6"	32.	28" x 21.65" x 5.91"	39.75" x 26" x 6.5"				
Shipping Weight (lbs.)		6.6 lbs			18 lbs	24 lbs				
ALL BE SERIES			12.3 lbs							
Connectivity J22BE1220										
Side Panel						6				
Ports (L to R)	O Head Bhans	Ontical	O O	Company		© DC Audio				
	Head Phone	Optical	Audio In	Component I	n VGA	PC Audio				
Back Panel			•							
Ports (L to R)	HDMI 1	RF RG-6 Coax	IR Pass Through Audio							

BE SERIES

					DE JERIES			
J4	3BE929		J50BE1220)		J55BE1220		
	42.6"		49.85"			54.8"		
			1920 x 1080 (F	ID)				
			None					
			Direct-Lit LE	D				
23	230 cd/m ²		230 cd/m²			250 cd/m ²		
	8 ms				6 ms			
			178° x 178°					
			60 Hz					
		N	TSC/ATSC/Clear Q	AM Tuner				
			MPEG-2/H.26	64				
8116	635021434		81163502372	8		811635022202		
			10W + 10W / 2	СН				
		6 Modes (Stand	lard, Music, Movie,	Sports, News, Man	ual)			
			Yes					
			Yes					
	< 65 W		< 130 W			< 92 W		
			< 1 W					
			AC 100V - 240V,	60 Hz				
	60"		62"			64"		
			400 × 200					
			M6					
			Anti-Theft Swivel	Stand				
38 5" x	38 5" v 22 75" v 3 5"		44.63" x 26.13" x 3.43"			49.6" x 28.5" x 4"		
	38.5" x 22.75" x 3.5" 38.5" x 24.75" x 9"		44.63" x 30.11" x 9.16"			49.6" x 31.5" x 9"		
	16.10 lbs		22.1 lbs			30.2 lbs		
	41.75" x 26.25" x 6.5"		51.2" x 31.5" x 6.8"			55.5" x 32.25" x 6.75"		
	27 lbs		34 lbs			39.11 lbs		
Connectivity 32" to	55" Models					,		
Side Panel Ports (L to R)	0		0					
. ,	IR Pass Thru	Audio Out (32"- 43" only)	Headphone	Optical	Audio In	Component In	HDMI 1	
Back Panel								
Ports (L to R)				©		©	LUGB	
	HDMI 2	HDMI 3	VGA	PC Audio	RF RG-6 Coax	Line Out (49" & 55" Only)	USB	
Certifications				WARNI	NG			
	A FC	√ (No.	EMERGY GUIDE +	\wedge		expose you to chemicals inclute of California to cause cancel		
	TÜV	HOHS 2002/95/EC lead-free	GUIDE	<u> </u>		ctive harm. Wash hands after h		
Certifications	TUV, FCC, RoHS, Lead	Free, CEC, Energy Guide			For more inform	ation go to www.P65Warnings	.ca.gov	
						1000000		